



Product Service

# Attestation of Conformity

No. N8 15 07 81661 023

**Holder of Certificate:** SOLAR INNOVA GREEN TECHNOLOGY,  
S.L.

Paseo de los Molinos 12  
03660 NOVELDA (Alicante)  
SPAIN

**Product:**

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules  
Mono-Crystalline Silicon Photovoltaic Module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2006/95/EC relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

**Test report no.:** 701261601201-00



**Date,** 2016-03-09

( Zhulin Zhang )



After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 3

## Attestation of Conformity

No. N8 15 07 81661 023

### Model(s):

SI-ESF-M-M156-72-280W, SI-ESF-M-M156-72-285W,  
 SI-ESF-M-M156-72-290W, SI-ESF-M-M156-72-295W,  
 SI-ESF-M-M156-72-300W, SI-ESF-M-M156-72-305W,  
 SI-ESF-M-M156-72-310W, SI-ESF-M-M156-72-315W,  
 SI-ESF-M-M156-72-320W, SI-ESF-M-M156-72-325W,  
 SI-ESF-M-M156-72-330W, SI-ESF-M-M156-72-335W,  
 SI-ESF-M-M156-72-340W, SI-ESF-M-M156-72-345W,  
 SI-ESF-M-M156-72-350W, SI-ESF-M-M156-72-355W,  
 SI-ESF-M-M156-60-230W, SI-ESF-M-M156-60-235W,  
 SI-ESF-M-M156-60-240W, SI-ESF-M-M156-60-245W,  
 SI-ESF-M-M156-60-250W, SI-ESF-M-M156-60-255W,  
 SI-ESF-M-M156-60-260W, SI-ESF-M-M156-60-265W,  
 SI-ESF-M-M156-60-270W, SI-ESF-M-M156-60-275W,  
 SI-ESF-M-M156-60-280W, SI-ESF-M-M156-60-285W,  
 SI-ESF-M-M156-60-290W, SI-ESF-M-M156-60-295W,  
 SI-ESF-M-M156-54-210W, SI-ESF-M-M156-54-215W,  
 SI-ESF-M-M156-54-220W, SI-ESF-M-M156-54-225W,  
 SI-ESF-M-M156-54-230W, SI-ESF-M-M156-54-235W,  
 SI-ESF-M-M156-54-240W, SI-ESF-M-M156-54-245W,  
 SI-ESF-M-M156-54-250W, SI-ESF-M-M156-54-255W,  
 SI-ESF-M-M156-54-260W, SI-ESF-M-M156-54-265W,  
 SI-ESF-M-M156-48-180W, SI-ESF-M-M156-48-185W,  
 SI-ESF-M-M156-48-190W, SI-ESF-M-M156-48-195W,  
 SI-ESF-M-M156-48-200W, SI-ESF-M-M156-48-205W,  
 SI-ESF-M-M156-48-210W, SI-ESF-M-M156-48-215W,  
 SI-ESF-M-M156-48-220W, SI-ESF-M-M156-48-225W,  
 SI-ESF-M-M156-48-230W, SI-ESF-M-M156-48-235W,  
 SI-ESF-M-M156-36-135W, SI-ESF-M-M156-36-140W,  
 SI-ESF-M-M156-36-145W, SI-ESF-M-M156-36-150W,  
 SI-ESF-M-M156-36-155W, SI-ESF-M-M156-36-160W,  
 SI-ESF-M-M156-36-165W, SI-ESF-M-M156-36-170W,  
 SI-ESF-M-M156-36-175W, SI-ESF-M-M125-96-240W,  
 SI-ESF-M-M125-96-245W, SI-ESF-M-M125-96-250W,  
 SI-ESF-M-M125-96-255W, SI-ESF-M-M125-96-260W,  
 SI-ESF-M-M125-96-265W, SI-ESF-M-M125-96-270W,  
 SI-ESF-M-M125-72-175W, SI-ESF-M-M125-72-180W,  
 SI-ESF-M-M125-72-185W, SI-ESF-M-M125-72-190W,  
 SI-ESF-M-M125-72-195W, SI-ESF-M-M125-72-200W,  
 SI-ESF-M-M125-72-205W.

### Parameters:

Rated Output Power  
at STC:

See the attachment

Construction:

Framed, with Junction box,  
Cable and Connectors.

Test Laboratory:

Yangzhou Opto-Electrical  
Products Testing Institute  
No.10 West Kaifa Road, Yangzhou,  
225009 Jiangsu, P. R. China

Application Class:

Class A

Maximum System Voltage:

1000 V DC

Fire Safety Class:

Class C

### Tested according to:

IEC 61215(ed.2)  
 EN 61215:2005  
 IEC 61730-1(ed.1);am1;am2  
 EN 61730-1:2007/A2:2013  
 IEC 61730-2(ed.1);am1  
 EN 61730-2:2007/A1:2012

### Production Facility(ies):

81661



Page 2 of 3

**Attestation of Conformity**  
**No. N8 15 07 81661 023**



Product Service

The following models will be covered by above certificate:

Model	Rated Output Power at STC
SI-ESF-M-M156-72-280W, SI-ESF-M-M156-72-285W, SI-ESF-M-M156-72-290W, SI-ESF-M-M156-72-295W, SI-ESF-M-M156-72-300W, SI-ESF-M-M156-72-305W, SI-ESF-M-M156-72-310W, SI-ESF-M-M156-72-315W, SI-ESF-M-M156-72-320W, SI-ESF-M-M156-72-325W, SI-ESF-M-M156-72-330W, SI-ESF-M-M156-72-335W, SI-ESF-M-M156-72-340W, SI-ESF-M-M156-72-345W, SI-ESF-M-M156-72-350W, SI-ESF-M-M156-72-355W,	280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W,
SI-ESF-M-M156-60-230W, SI-ESF-M-M156-60-235W, SI-ESF-M-M156-60-240W, SI-ESF-M-M156-60-245W, SI-ESF-M-M156-60-250W, SI-ESF-M-M156-60-255W, SI-ESF-M-M156-60-260W, SI-ESF-M-M156-60-265W, SI-ESF-M-M156-60-270W, SI-ESF-M-M156-60-275W, SI-ESF-M-M156-60-280W, SI-ESF-M-M156-60-285W, SI-ESF-M-M156-60-290W, SI-ESF-M-M156-60-295W,	230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W,
SI-ESF-M-M156-54-210W, SI-ESF-M-M156-54-215W, SI-ESF-M-M156-54-220W, SI-ESF-M-M156-54-225W, SI-ESF-M-M156-54-230W, SI-ESF-M-M156-54-235W, SI-ESF-M-M156-54-240W, SI-ESF-M-M156-54-245W, SI-ESF-M-M156-54-250W, SI-ESF-M-M156-54-255W, SI-ESF-M-M156-54-260W, SI-ESF-M-M156-54-265W,	210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W,
SI-ESF-M-M156-48-180W, SI-ESF-M-M156-48-185W, SI-ESF-M-M156-48-190W, SI-ESF-M-M156-48-195W, SI-ESF-M-M156-48-200W, SI-ESF-M-M156-48-205W, SI-ESF-M-M156-48-210W, SI-ESF-M-M156-48-215W, SI-ESF-M-M156-48-220W, SI-ESF-M-M156-48-225W, SI-ESF-M-M156-48-230W, SI-ESF-M-M156-48-235W,	180 W, 185 W, 190 W, 195 W, 200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W,
SI-ESF-M-M156-36-135W, SI-ESF-M-M156-36-140W, SI-ESF-M-M156-36-145W, SI-ESF-M-M156-36-150W, SI-ESF-M-M156-36-155W, SI-ESF-M-M156-36-160W, SI-ESF-M-M156-36-165W, SI-ESF-M-M156-36-170W, SI-ESF-M-M156-36-175W,	135 W, 140 W, 145 W, 150 W, 155 W, 160 W, 165 W, 170 W, 175 W,
SI-ESF-M-M125-96-240W, SI-ESF-M-M125-96-245W, SI-ESF-M-M125-96-250W, SI-ESF-M-M125-96-255W, SI-ESF-M-M125-96-260W, SI-ESF-M-M125-96-265W, SI-ESF-M-M125-96-270W,	240 W, 245 W, 250 W, 255 W, 260 W, 265 W, 270 W,
SI-ESF-M-M125-72-175W, SI-ESF-M-M125-72-180W, SI-ESF-M-M125-72-185W, SI-ESF-M-M125-72-190W, SI-ESF-M-M125-72-195W, SI-ESF-M-M125-72-200W, SI-ESF-M-M125-72-205W.	175 W, 180 W, 185 W, 190 W, 195 W, 200 W, 205 W.