



Product Service

Attestation of Conformity

No. N8 15 06 81661 024

Holder of Certificate: SOLAR INNOVA GREEN TECHNOLOGY, S.L.

Paseo de los Molinos 12
03660 NOVELDA (Alicante)
SPAIN

Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Poly-Crystalline Silicon Photovoltaic Module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2006/95/EC relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 701261601201-00



Date, 2016-03-09

(Zhulin Zhang)



After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 3

Attestation of Conformity

No. N8 15 06 81661 024

Model(s):

SI-ESF-M-M156-72-280W, SI-ESF-M-M156-72-285W,
 SI-ESF-M-M156-72-290W, SI-ESF-M-M156-72-295W,
 SI-ESF-M-M156-72-300W, SI-ESF-M-M156-72-305W,
 SI-ESF-M-M156-72-310W, SI-ESF-M-M156-72-315W,
 SI-ESF-M-M156-72-320W, SI-ESF-M-M156-72-325W,
 SI-ESF-M-M156-72-330W, SI-ESF-M-M156-72-335W,
 SI-ESF-M-M156-72-340W, SI-ESF-M-M156-72-345W,
 SI-ESF-M-M156-72-350W, SI-ESF-M-M156-72-355W,
 SI-ESF-M-M156-60-230W, SI-ESF-M-M156-60-235W,
 SI-ESF-M-M156-60-240W, SI-ESF-M-M156-60-245W,
 SI-ESF-M-M156-60-250W, SI-ESF-M-M156-60-255W,
 SI-ESF-M-M156-60-260W, SI-ESF-M-M156-60-265W,
 SI-ESF-M-M156-60-270W, SI-ESF-M-M156-60-275W,
 SI-ESF-M-M156-60-280W, SI-ESF-M-M156-60-285W,
 SI-ESF-M-M156-60-290W, SI-ESF-M-M156-60-295W,
 SI-ESF-M-M156-54-210W, SI-ESF-M-M156-54-215W,
 SI-ESF-M-M156-54-220W, SI-ESF-M-M156-54-225W,
 SI-ESF-M-M156-54-230W, SI-ESF-M-M156-54-235W,
 SI-ESF-M-M156-54-240W, SI-ESF-M-M156-54-245W,
 SI-ESF-M-M156-54-250W, SI-ESF-M-M156-54-255W,
 SI-ESF-M-M156-54-260W, SI-ESF-M-M156-54-265W,
 SI-ESF-M-M156-48-180W, SI-ESF-M-M156-48-185W,
 SI-ESF-M-M156-48-190W, SI-ESF-M-M156-48-195W,
 SI-ESF-M-M156-48-200W, SI-ESF-M-M156-48-205W,
 SI-ESF-M-M156-48-210W, SI-ESF-M-M156-48-215W,
 SI-ESF-M-M156-48-220W, SI-ESF-M-M156-48-225W,
 SI-ESF-M-M156-48-230W, SI-ESF-M-M156-48-235W,
 SI-ESF-M-M156-36-135W, SI-ESF-M-M156-36-140W,
 SI-ESF-M-M156-36-145W, SI-ESF-M-M156-36-150W,
 SI-ESF-M-M156-36-155W, SI-ESF-M-M156-36-160W,
 SI-ESF-M-M156-36-165W, SI-ESF-M-M156-36-170W,
 SI-ESF-M-M156-36-175W, SI-ESF-M-M125-96-240W,
 SI-ESF-M-M125-96-245W, SI-ESF-M-M125-96-250W,
 SI-ESF-M-M125-96-255W, SI-ESF-M-M125-96-260W,
 SI-ESF-M-M125-96-265W, SI-ESF-M-M125-96-270W,
 SI-ESF-M-M125-72-175W, SI-ESF-M-M125-72-180W,
 SI-ESF-M-M125-72-185W, SI-ESF-M-M125-72-190W,
 SI-ESF-M-M125-72-195W, SI-ESF-M-M125-72-200W,
 SI-ESF-M-M125-72-205W.

Parameters:

Rated Output Power

at STC:

See the attachment

Construction:

Framed, with Junction box,
Cable and Connectors.

Test Laboratory:

Yangzhou Opto-Electrical
Products Testing Institute
No.10 West Kaifa Road, Yangzhou,
225009 Jiangsu, P. R. China

Application Class:

Class A

Maximum System Voltage:

1000 V DC

Fire Safety Class:

Class C

Tested according to:

IEC 61215(ed.2)

EN 61215:2005

IEC 61730-1(ed.1);am1;am2

EN 61730-1:2007/A2:2013

IEC 61730-2(ed.1);am1

EN 61730-2:2007/A1:2012

Production Facility(ies):

81661



Page 2 of 3

Attestation of Conformity
No. N8 15 06 81661 024



Product Service

The following models will be covered by above certificate:

Model	Rated Output Power at STC
SI-ESF-M-M156-72-280W, SI-ESF-M-M156-72-285W, SI-ESF-M-M156-72-290W, SI-ESF-M-M156-72-295W, SI-ESF-M-M156-72-300W, SI-ESF-M-M156-72-305W, SI-ESF-M-M156-72-310W, SI-ESF-M-M156-72-315W, SI-ESF-M-M156-72-320W, SI-ESF-M-M156-72-325W, SI-ESF-M-M156-72-330W, SI-ESF-M-M156-72-335W, SI-ESF-M-M156-72-340W, SI-ESF-M-M156-72-345W, SI-ESF-M-M156-72-350W, SI-ESF-M-M156-72-355W,	280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W,
SI-ESF-M-M156-60-230W, SI-ESF-M-M156-60-235W, SI-ESF-M-M156-60-240W, SI-ESF-M-M156-60-245W, SI-ESF-M-M156-60-250W, SI-ESF-M-M156-60-255W, SI-ESF-M-M156-60-260W, SI-ESF-M-M156-60-265W, SI-ESF-M-M156-60-270W, SI-ESF-M-M156-60-275W, SI-ESF-M-M156-60-280W, SI-ESF-M-M156-60-285W, SI-ESF-M-M156-60-290W, SI-ESF-M-M156-60-295W,	230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W,
SI-ESF-M-M156-54-210W, SI-ESF-M-M156-54-215W, SI-ESF-M-M156-54-220W, SI-ESF-M-M156-54-225W, SI-ESF-M-M156-54-230W, SI-ESF-M-M156-54-235W, SI-ESF-M-M156-54-240W, SI-ESF-M-M156-54-245W, SI-ESF-M-M156-54-250W, SI-ESF-M-M156-54-255W, SI-ESF-M-M156-54-260W, SI-ESF-M-M156-54-265W,	210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W,
SI-ESF-M-M156-48-180W, SI-ESF-M-M156-48-185W, SI-ESF-M-M156-48-190W, SI-ESF-M-M156-48-195W, SI-ESF-M-M156-48-200W, SI-ESF-M-M156-48-205W, SI-ESF-M-M156-48-210W, SI-ESF-M-M156-48-215W, SI-ESF-M-M156-48-220W, SI-ESF-M-M156-48-225W, SI-ESF-M-M156-48-230W, SI-ESF-M-M156-48-235W,	180 W, 185 W, 190 W, 195 W, 200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W,
SI-ESF-M-M156-36-135W, SI-ESF-M-M156-36-140W, SI-ESF-M-M156-36-145W, SI-ESF-M-M156-36-150W, SI-ESF-M-M156-36-155W, SI-ESF-M-M156-36-160W, SI-ESF-M-M156-36-165W, SI-ESF-M-M156-36-170W, SI-ESF-M-M156-36-175W,	135 W, 140 W, 145 W, 150 W, 155 W, 160 W, 165 W, 170 W, 175 W,
SI-ESF-M-M125-96-240W, SI-ESF-M-M125-96-245W, SI-ESF-M-M125-96-250W, SI-ESF-M-M125-96-255W, SI-ESF-M-M125-96-260W, SI-ESF-M-M125-96-265W, SI-ESF-M-M125-96-270W,	240 W, 245 W, 250 W, 255 W, 260 W, 265 W, 270 W,
SI-ESF-M-M125-72-175W, SI-ESF-M-M125-72-180W, SI-ESF-M-M125-72-185W, SI-ESF-M-M125-72-190W, SI-ESF-M-M125-72-195W, SI-ESF-M-M125-72-200W, SI-ESF-M-M125-72-205W.	175 W, 180 W, 185 W, 190 W, 195 W, 200 W, 205 W.